





THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DEPENDENT TO THE INTERESTS OF PANDUIT CORP.




SPECIFICATION:

- STANDARD:
 - UPS TOPOLOGY: DOUBLE CONVERSION
 - KVA: 10
 - BATTERY TYPE: LITHIUM-ION
- INPUT PLUG: HARDWIRE TERMINAL CONNECTION(L+L+G)
- NOMINAL INPUT VOLTAGE: 208/240VAC
- INPUT PHASE: SINGLE
- OUTPUT PHASE: SINGLE
- NOMINAL OUTPUT VOLTAGE: 208/240VAC
- OUTLET TYPE AND QTY: L6-30R(2)+HARDWIRE TERMINAL CONNECTION(L+L+G)
- DISPLAY TYPE: 3.5 INCH TOUCH SCREEN
- PARALLEL PORT SUPPORT: YES
- INPUT BREAKER TYPE: N/A
- OUTPUT BREAKER TYPE: 30A TOGGLE



DETAIL A
SCALE 1:2



2. ADDITIONAL:

NONE

3. ACCESSORY COMPONENTS:



- P/N U10N11L-N CONTAINS AN INTELLIGENT NETWORK CARD(INSTALLED)
- STABILIZER BRACKET, QTY: (4)
- INSTALLATION EARS, QTY:(2)
- PRODUCT SAFETY WARNING SHEET, QTY(1)
- B8/B8 1.5M PARALLEL CABLE, QTY:(1)
- B9/B9 RS232 1.5M COMMUNICATION CABLE, QTY:(1)
- USB-A/USB-B 1.5M SERIAL COMMUNICATION CABLE, QTY:(1)
- INCLUDES P/N:UPMKIT2 INSTALLATION RAIL KIT, QTY (1), GROUNDING CABLE, QTY(1)
- EPO PLUG WITH SHORTING WIPE,QTY:(1),(INSTALLED)
- MBS PLUG WITH SHORTING WIPE,QTY:(1),(INSTALLED)
- DOCUMENTATION KIT, QTY(1) - TO BE PLACED ON TOP OF ALL PACKAGING MATERIAL REFER TO ASSOCIATED DRAWINGS FOR PHYSICAL DIMENSIONS AND SPECIFICATIONS
- INCLUDES P/N:UVPL12H EXTERNAL BATTERY PACK, QTY (1),(IN A SEPARATE CARTON) SEE SHEET 3

NOTES:

- PRIMARY DIMENSIONS ARE IN MILLIMETERS. SECONDARY DIMENSIONS ARE IN INCHES
- INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE, AND LOCAL CODES
- VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A CURRENT LIST OF PRODUCTS APPLICABLE FOR USE WITH THIS PRODUCT
- ALL PURCHASED ITEMS CONFORM TO C2-0834 PANDUIT SPECIFICATION FOR CHEMICAL SUBSTANCES TO BE CONTROLLED IN PRODUCT AND PACKAGING

IDENTIFICATION:

PART NUMBER	DESCRIPTION	SHIPPING WEIGHT(INCLUDES EXTERNAL BATTERY PACK) (KG)
U10N11L	IPUPS, 10kVA, 2U, 208/240V, SINGLE PHASE, DOUBLE-CONVERSION ON-LINE POWER PROTECTION WITH INTELLIGENT NETWORK CARD	4.9



008 4/30/2024 HQ WCH GLW/CAN 004 11/01/2023 HQ WCH GLW/CAN				U10N11L U10N11L-DC/00B		PANDUIT N/A	
ADDED NOTE TO ACCESSORY COMPONENTS AND ADDED SHEETS				U10N11L		U10N11L-DC	
RELEASE TO PRODUCTION				U10N11L		U10N11L-DC	
DESCRIPTION				ECN		U10N11L-DC	
11/18/2023 JLU				JLU		U10N11L-DC	

